

Hallmark Group - Commonly Specified Door Hardware - Approved Up To 240mins for Hallmark EUROPA Doors (see last column for FUTURA)

| Category | Rated up to maximum (mins) | Brand | Model | Description | Test ref* | Reference use | Futura Comments |
|------------------------------------|----------------------------|-------------------------|--|---|--------------------|--|--|
| DA/Pivot Hardware | 120 | Dorma | 8066 - Top Pivot | Pivot | ET 0198 | Top Pivot used in conjunction with Floor springs | Approved for Futura Doors |
| DA/Pivot Hardware | 120 | Dorma | 7475AX - Floor Pivot | Pivot | ET 0230 | Free swing floor pivot. | Approved for Futura Doors |
| DA/Pivot Hardware | 120 | Dorma | BTS 80 F - Floor spring and top pivot | Pivot | ET 0198 | Floorspring suitable for doors up to 1400mm wide. Floor mounted. | Approved for Futura Doors |
| DOOR CLOSERS | 30 | LCN | 3130 Series | Concealed Door Closer | ET 0711B | Suitable in steel jambs only | Not Approved for Futura Doors |
| DOOR CLOSERS | 60 | Miles Nelson | MNC8626 | Door Closer | FAS220071 | Can also use the Slide Arm, MNC8626SA | Approved for Futura Doors |
| DOOR CLOSERS | 60 | Miles Nelson | MNC8404 | Door Closer | FAS220072 | Can also use the Slide Arm, MNC8404SA | Approved for Futura Doors |
| DOOR CLOSERS | 60 | Allegion Briton | 1130/1120 Series With 1130/1120B Regular arm or T Slide Track | Surface Mounted Closer | ET 0364 / ET 0353 | Briton 1120 & 1130 are very commonly specified in NZ | Approved for Futura Doors |
| DOOR CLOSERS | 90 | Lockwood | 2657 Series | Surface Mounted Closer | ET 0775B | | Approved for Futura Doors |
| DOOR CLOSERS | 90 | Lockwood | 2657SIL / 2557SIL Series | Surface Mounted Closer | ET 0793 | | Approved for Futura Doors |
| DOOR CLOSERS | 120 | LCN | 1460/1461 | Surface Mounted Closer | ET 0347 | | Approved for Futura Doors |
| DOOR CLOSERS | 120 | LCN | 4040SE / 4040XP | Surface Mounted Closer | ET 0347 | | Approved for Futura Doors |
| DOOR CLOSERS | 120 | Allegion Briton | 2400 Series | Concealed Door Closer | ET 0897 | MUST BE USED WITH INTUMESCENT GASKET | Check suitability with Hallmark prior to specification |
| DOOR CLOSERS | 120 | Abloy / Lockwood | 8014SIL Series | Concealed Door Closer | EA 0637 | Suitable in steel jambs only | Not Approved for Futura Doors |
| DOOR CLOSERS | 120 | Abloy / Lockwood | FD 484EMCD Series | Concealed Door Closer | EA 0637 | Suitable in steel jambs only | Not Approved for Futura Doors |
| DOOR CLOSERS | 120 | Allegion Briton | 2300 Series Cam Action | Surface Mounted Closer | ET 0867A / ET 0714 | Generally specified on retirement villages due to ease of use | Approved for Futura Doors |
| DOOR CLOSERS | 120 | Allegion Briton | 2700 Series Cam action | Surface Mounted Closer | ET 0867 | Generally specified on larger doors in retirement villages due to ease of use | Approved for Futura Doors |
| DOOR CLOSERS | 120 | Assa Abloy | SW 200i | Surface Mounted Operator | ET 0697 | | Approved for Futura Doors |
| DOOR CLOSERS | 120 | Assa Abloy | SW 300 | Surface Mounted Operator | ET 0810 | | Approved for Futura Doors |
| DOOR CLOSERS | 120 | Dormakaba | TS 93 Cam Action EN 1-7 Contur Design | Surface Mounted Closer | ET 0641 | Suitable for commercial use, doors upto 1600mm (Wide) per single leaf. (multiple configurations) SUITABLE IN STEEL JAMBS ONLY | Not Approved for Futura Doors |
| DOOR CLOSERS | 120 | Dormakaba | TS93G EN 1-5 With Slide Channel | Surface Mounted Closer | ET 0860 | Suitable for commercial use, doors upto 1400 mm (Wide) per single leaf. (multiple configurations) Closer door mounted on Push side | Approved for Futura Doors |
| DOOR CLOSERS | 120 | Lockwood | Lockwood 7724 | Surface Mounted Closer | ET 0592 | | Approved for Futura Doors |
| DOOR CLOSERS | 120 | Lockwood / Abloy | FD 480 EMC Series | Concealed Door Closer | ET 0598 | Suitable in steel jambs only | Not Approved for Futura Doors |
| DOOR CLOSERS | 120 | Lockwood / Arrow / Yale | ACD 25SIL / YCD25SIL Series | Power adjustable Closer | ET 0681 | | Approved for Futura Doors |
| DOOR CLOSERS | 120 | Lockwood / Arrow / Yale | A2400SIL / Y2400SIL Series | Surface Mounted Closer | EA 0593 / ET 0590 | | Approved for Futura Doors |
| DOOR CLOSERS | 120 | Lockwood / Yale | YSDC/3SIL | Surface Mounted Closer | ET 0892 | | Approved for Futura Doors |
| DOOR CLOSERS | 240 | Dorma | ITS-96 | Concealed Door Closer | ET 0235 | Suitable in steel jambs only | Check suitability with Hallmark prior to specification |
| DOOR CLOSERS | 240 | Dorma | TS 73 EMF EN4 | Electric Closer | ET 0684A | Electromechanical hold open door closer suitable for doors upto 1100mm (Wide) per single leaf. | Check suitability with Hallmark prior to specification |
| DOOR CLOSERS | 240 | Lockwood | 2636 free swing | Electric Closer | ET 0730 | | Approved for Futura Doors |
| DOOR CLOSERS | 240 | Lockwood | 2516CO Series with Coordinator | Surface Mounted Closer | EA 0672 | | Approved for Futura Doors |
| DOOR CLOSERS | 240 | Lockwood | 2516DA Series | Surface Mounted Closer | EA 0672 | | Approved for Futura Doors |
| DOOR CLOSERS | 240 | Lockwood | 724/726/2615/2616/7714/7726 (Various options including slide and standard rails) | Surface Mounted Closer | EA 0632 | | Approved for Futura Doors |
| DOOR CLOSERS | 240 | Lockwood | 7714DA standard arm | Surface Mounted Closer | EA 0595 / EA 0632 | | Approved for Futura Doors |
| DOOR CLOSERS | 240 | Lockwood | 7726 Series | Surface Mounted Closer | ET 0597 | | Approved for Futura Doors |
| DOOR CLOSERS | 240 | Lockwood | 2516 EMC/EMCD Series | Surface Mounted Electro Mechanical Closer | ET 0587 / ET 0596 | | Approved for Futura Doors |
| DOOR CLOSERS (Double Action/Pivot) | 120 | Briton | 7500 Series - Floor Spring | Pivot | ET 0198 | | Approved for Futura Doors |
| DOOR CLOSERS (Double Action/Pivot) | 120 | Dorma | RTS 85 | Concealed Transom Closer | ET 0230 | Transom mounted door closer. Suitable for doors up to 1250mm wide | Check suitability with Hallmark prior to specification |

| | | | | | | | |
|------------------------------------|-----|---------------------|---|---|---------------------|---|--|
| DOOR CLOSERS (Double Action/Pivot) | 120 | Lockwood | 9800 series | Concealed Transom closer | ET 0496 | Suitable in steel jambs only | Not Approved for Futura Doors |
| ELECTRIC STRIKES | 120 | Dormakaba | KES900S | Electric Strike | ET 0962B | Pre loaded electric stike - Electronic access control | Check suitability with Hallmark prior to specification |
| ELECTRIC STRIKES | 120 | Kaba | KES 2100 | Electric Strike | ET 0521 | Pre loaded electric stike - Electronic access control | Check suitability with Hallmark prior to specification |
| ELECTRIC STRIKES | 120 | FSH | FES90M-P | Electric Strike | ET 0859B | Only suitable with steel frame | Not Approved for Futura Doors |
| ELECTRIC STRIKES | 120 | Lockwood / Trimec | ES9000 | Electric Strike | ET 0532 | GO to for commercial, Steel Frame only | Check suitability with Hallmark prior to specification |
| ELECTRIC STRIKES | 240 | FSH | FES20 / 20M Series | Electric Strike | EA 0605A | Only suitable with steel frame | Check suitability with Hallmark prior to specification |
| Eye Viewer | 120 | Assa Abloy | VingCard | Eye Viewer | ET 0837C | | Approved for Futura Doors |
| Eye Viewer | 180 | Lockwood | 160 | Eye Viewer | ET 0006 P3 | | Approved for Futura Doors |
| Eye Viewer | 240 | Dorma | MDZ DV1 | Eye Viewer | ET 0693 | Door viewer commonly used on apartment or hotel entrance doors | Approved for Futura Doors |
| Eye Viewer | 240 | Schlage | Eye Viewer | Eye Viewer | ET 0256 | | Approved for Futura Doors |
| Furniture | 90 | Dormakaba | Compact Digital | Digital Lock Set | ET 0862C | Electronic lever set, used in conjunction with access control software. | Check suitability with Hallmark prior to specification |
| Furniture | 120 | Assa Abloy Lockwood | Lockwood 1300 series - Lockwood 1360/1361/70 SCLW round rose | Lever Furniture | ET 0811 | | Check suitability with Hallmark prior to specification |
| Furniture | 120 | Legge | 6000 Series L6000/62S - 6000/62 Ergo & Escutcheons (With 990MF Mortice Lock) | Latch Furniture | ET 0708C | Allegion go to latch furniture | Check suitability with Hallmark prior to specification |
| Furniture | 120 | Legge | 67 Series LA67LS - ALPHA LR SCP / L22S-22 & L23S-23 Escutcheons (With 990MF Mortice Lock) | Latch Furniture | ET 0708B | Allegion go to latch furniture | Check suitability with Hallmark prior to specification |
| Furniture | 120 | Lockwood | Brass Symphony Series Leverset | Lever Furniture | ET 0591 | High use applications applications | Check suitability with Hallmark prior to specification |
| Furniture | 120 | Lockwood | OTS SRZ Series Leverset (With 530 Series Latch) | Lever Furniture | ET 0598 | | Check suitability with Hallmark prior to specification |
| Furniture | 120 | Allegion Legge | 700 Alpha Marine Series (With 990MF/991MF Mortice Lock) | Lever Furniture | ET 0867 | Common use in NZ not go to by Allegion | Check suitability with Hallmark prior to specification |
| Furniture | 120 | Allegion Legge | Alpha#29, Angelo#57, Bergen, CISA#59, Ergo#62, Leonardo#12, Monet#50, Neptune, Omega, Renoir #52, Rubens#56, 500 Series (With 990MF Mortice Lock) | Lever Furniture | EA 0678 / ET 0868 | Allegion go to Lever Handle Furniture | Check suitability with Hallmark prior to specification |
| Furniture | 120 | Assa Abloy | Smartair Escutcheon (tested with Lockwood 3772 H100 Modified Mortice Lock) | Electronic Escutcheon Lockset Furnitire | ET 0921B | Wireless lock & furniture. Hospitality | Approved on Futura Doorsets (30min only) |
| Furniture | 120 | Lockwood | Integral Series Electronic Escutcheon (With 3572 Series) | Electronic Escutcheon Lockset Furnitire | ET 0858A | | Check suitability with Hallmark prior to specification |
| Furniture | 120 | Lockwood | Artefact 200 series Square Corner Plate Aluminium Furniture | Lever Furniture | ET 0879 | | Check suitability with Hallmark prior to specification |
| Furniture | 120 | Lockwood | Artefact 202 series 10mm Radius Corner Plate Aluminium Furniture / Artefact 212 series Oval Plate Aluminium Furniture | Lever Furniture | EA 0682 | High use applications applications | Check suitability with Hallmark prior to specification |
| Furniture | 240 | Dorma | Coastal Series - Noosa / Sorrento / Bondi / Muriwai / Aldinga / Mindil / Bicheno / Torquay / Airlie / Manly (In Conjunction With Dorma ST9600 Series lock and | Lever Furniture | ET 0606 | Full range of commercial door furniture, all grade 316 stainless. | Check suitability with Hallmark prior to specification |
| Hold open devices | 120 | Lockwood | XXX EMHSSS | Electromagnetic Hold Open | EA 0429 | Must have primary latch | Approved for Futura Doors |
| Hold open devices | 240 | Dorma | EM500 | Electromagnetic Hold Open | ET 0752C | Electromagnetic hold-open device, Specified in conjunction with non hold open door closers. Connected to the fire alarm system and triggered to release in the event of fire. | Approved for Futura Doors |
| Hold open devices | 240 | Dorma | MAG EM / MAW EM - Hold Open Magnetic Receiver Plate | Electromagnetic Hold Open | ET 0344 | Electromagnetic hold-open device, Specified in conjunction with non hold open door closers. Connected to the fire alarm system and triggered to release in the event of fire. | Approved for Futura Doors |
| Hold open devices | 240 | Dorma | Mag Armature Plate | Magnetic Armature Plate | ET 0644 | Electromagnetic hold-open device, Specified in conjunction with non hold open door closers. Connected to the fire alarm system and triggered to release in the event of fire. | Approved for Futura Doors |
| Hold open devices | 120 | LCN / Schlage | Sentronic 7830 SEM | Electromagnetic Hold Open | ET 0236 | Specified widely in hospitals, very robust product | Approved for Futura Doors |
| Hold open devices | 240 | Assa Abloy | EF800 Hold Open Magnet Fixed or Swivel Bracket | Electromagnetic Hold Open | ET 0931C / ET 0932C | Floor & Wall Mount | Approved for Futura Doors |
| Locksets (Optional or Secondary) | 120 | Allegion Ives | Allegion Ives Series | Lockguard | ET 0560 | | Approved for Futura Doors |
| Locksets (Optional or Secondary) | 120 | FSH | FEM6600, FEM6600M, FEM6600D, FEM6600DM, FEM4300, FEM4300M, FEM4300D, FEM4300DM | Electromagnetic Lock | EA 0728 | OPTIONAL SECURITY (SECONDARY) | Check suitability with Hallmark prior to specification |
| Locksets (Optional or Secondary) | 120 | Kaba | RB111 SCP | Roller Bolt | ET 0479 | AS SECONDARY LATCH ONLY | Approved for Futura Doors |

| | | | | | | | |
|----------------------------------|-----|------------------------|--|---|---------------------------------------|---|--|
| Locksets (Optional or Secondary) | 240 | Dorma | MAW Armature Plate & One of The Following: EM100G, EM100A, EM500G, EM500A, EM500H, EM100U, EM500U. | Magnetic Armature Plate | ET 0752B | Electromagnetic hold-open device, Specified in conjunction with non hold open door closers. Connected to the fire alarm system and triggered to release in the event of fire. | Approved for Futura Doors |
| Locksets (Optional or Secondary) | 240 | FSH | DB1260 | Drop Bolt (Secondary Lockset) | ET 0530 | limited to Steel Frame Fire Doors | Check suitability with Hallmark prior to specification |
| Locksets (Optional or Secondary) | 240 | Sabre | Adjustable Roller Bolt | Roller Bolt | ET 0930 | AS SECONDARY LATCH ONLY | Approved for Futura Doors |
| Locksets (Optional or Secondary) | 120 | Legge | 15211 SSSHD Model VE1260R | Roller Bolt | ET 0711C | limited to Steel Frame Fire Doors, (Fitted above 990MF Mortice lock) AS SECONDARY LATCH ONLY | Approved for Futura Doors |
| Locksets (Optional or Secondary) | 240 | Dorma | MAG Armature Plate & One of The Following: EM100G, EM100A, EM500G, EM500A, EM500H, EM100U, EM500U. | Magnetic Armature Plate | ET 0752C | Electromagnetic hold-open device, Specified in conjunction with non hold open door closers. Connected to the fire alarm system and triggered to release in the event of fire. | Approved for Futura Doors |
| Locksets (Optional or Secondary) | 240 | FSH | FEM 5700 / FEM 5700M | Magnetic Lock | ET 0760 | | Check suitability with Hallmark prior to specification |
| Locksets (Optional or Secondary) | 240 | Lockwood/Padde/Trimec | ES 8000-S Series V-Lock | Drop Bolt (Secondary Lockset) | ET 0684 | Steel Frame Only | Check suitability with Hallmark prior to specification |
| Locksets (primary) | 60 | Dormakaba | C-Lever Compact 27 Digital Lockset with Dormakaba MS Series mortice lock body | Digital Lock Set | ET 0962A | Electronic lever set, used in conjunction with access control software. | Check suitability with Hallmark prior to specification |
| Locksets (primary) | 120 | Dormakaba | K & KL Series | Cylindrical Lock | ET 0237 | Commercial grade key in lever lockset, suitable for most commercial applications | Check suitability with Hallmark prior to specification |
| Locksets (primary) | 120 | Dormakaba / Saflok | MT™ RFID (Quantum) | Mortice Lock | EA 0576 | | Check suitability with Hallmark prior to specification |
| Locksets (primary) | 120 | Lockwood | 8530 DB | Latch | ET0200 / EA0226 | | Check suitability with Hallmark prior to specification |
| Locksets (primary) | 120 | Miles Nelson | MNC5000 | Mortice Lock | FAS220071 | | Approved for Futura Doors |
| Locksets (primary) | 240 | Dormakaba | Saflok Quantum Pixel | Digital Lock Set | ET 0860 | Hotel locking system | Check suitability with Hallmark prior to specification |
| Locksets (primary) | 240 | Dormakaba | C-Lever Pro Wide Electronic Lock | Electronic Lock | ET 0936C | Electronic lever set, used in conjunction with access control software. | Check suitability with Hallmark prior to specification |
| Locksets (primary) | 240 | Dormakaba | Cobalt Mini SL30SGL & SL30DBL | Electronic Lock | ET 0628 | Electromechanical Lock. Programmable Fail safe/ Secure | Check suitability with Hallmark prior to specification |
| Locksets (primary) | 120 | Allegion Legge | 990MF /991MF* | Mortice Lock | ET 0867 / ET 0897 | Allegion go to Mortice Lock | Check suitability with Hallmark prior to specification |
| Locksets (primary) | 120 | Allegion Legge Pacific | G2 Series | Cylindrical Lock | ET 0493 | Low cost lockset solution. Primarily used as a discretionary solution | Check suitability with Hallmark prior to specification |
| Locksets (primary) | 120 | Dormakaba | M5 Digital Lockset (tested with MS2602 (MS2600 series) Mortice | Mortice Lock | ET 0687 | Front door solution, mainly residential use ie Apartments. | Check suitability with Hallmark prior to specification |
| Locksets (primary) | 120 | FSH | FEL 990 Series - With Legge 700 Alpha Series Furniture | Electric Mortice Lock | ET 0859A | Allegion go to Electric Mortice Lock | Approved for Futura Doors |
| Locksets (primary) | 120 | Lockwood | Aperio AU100 Series (With LW 530 Latch 127mm backset) | Electronic Escutcheon Lockset Furniture | ET0802 | Wireless lock & furniture | Approved on Futura Doorsets (30min only) |
| Locksets (primary) | 120 | Lockwood | Cortex CTX Series (With LW 3770 Series Mortice Lock, 60mm backset) | Electronic Escutcheon Lockset Furniture | ET0793 | Wireless lock & furniture | Check suitability with Hallmark prior to specification |
| Locksets (primary) | 120 | Lockwood | 530 Series | Latch | ET 0598 | | Check suitability with Hallmark prior to specification |
| Locksets (primary) | 120 | Lockwood | Lockwood 3572 Series 2 Mortice Lock (tested with Lockwood Furniture, Lever & Cylinder) | Mortice Lock | ET 0858A | Genreal Application | Check suitability with Hallmark prior to specification |
| Locksets (primary) | 120 | Lockwood / Yale | Simplicity YSL72SS; with YSH1/S1NLSS Levers, YHS Series Oval Cylinder Escutcheon, YHS Series Standard Turnknob | Mortice Lock | ET 0843D / ET 0843A | Apartments / Retirement Villages | Check suitability with Hallmark prior to specification |
| Locksets (primary) | 120 | Schlage | Omnia Door Lock (tested with Allegion Legge 990 MF Mortice Lock) | Digital Lock Set | ET 0943A | Commonly specified on Apartment projects | Check suitability with Hallmark prior to specification |
| Locksets (primary) | 240 | Assa Abloy | Lockwood 3772 Series 2 Mortice Lock (tested with Lockwood Square End Furniture, Lever & Cylinder) | Mortice Lock | ET 0922A | General Application, Commercial | Check suitability with Hallmark prior to specification |
| Locksets (primary) | 240 | Dormakaba | 2202 Series Tubular Latch | Latch | ET 0686 | Suitable for all tested Dormakaba Lever sets, commercial and residential applications | Check suitability with Hallmark prior to specification |
| Locksets (primary) | 240 | Dormakaba | MS2600 Series | Mortice Lock | ET 0862B | Commercial use, suitable for all mechanical locking functions. | Check suitability with Hallmark prior to specification |
| Locksets (primary) | 240 | Lockwood | 3570 series | Mortice lock | ET 0592 / ET 0594 / ET 0597 / ET 0684 | | Check suitability with Hallmark prior to specification |
| Locksets (primary) | 240 | Lockwood | 3572 Series | Mortice lock | ET 0357B | Most common mortice lock | Check suitability with Hallmark prior to specification |
| Locksets (primary) | 240 | Lockwood | 3772 Series 2 Lockset with 60mm Backset | Mortice lock | EA 0701 | Genreal Application | Check suitability with Hallmark prior to specification |
| Locksets (primary) | 240 | Lockwood Firebird | 3770, 3772 & 3774 Series | Mortice lock | ET 0775C | Most common mortice lock | Check suitability with Hallmark prior to specification |
| Locksets (primary) | 240 | Lockwood Firebird | 4770 & 4772 Series | Mortice lock | ET 0775C | Deeper backset | Check suitability with Hallmark prior to specification |

| | | | | | | | |
|--|--------------------------|----------------------------|--|------------------------|---------------------|--|--|
| Locksets (primary) | 240 | Lockwood Firebird | 5770 & 5772 Series | Mortice lock | ET 0775A / ET 0775C | | Check suitability with Hallmark prior to specification |
| MISCELLANEOUS | 60 | Interlogix (ex GE/Sentrol) | 1078/1076 Series | Reed Switch | ET 0248 / EA 0686 | | Approved for Futura Doors |
| MISCELLANEOUS | 120 | Dormakaba | AF667 | Auto Flush Bolt | ET 0948B | Automatic flush bolt. Specified to secure inactive door leaf once active door leaf is closed | Check suitability with Hallmark prior to specification |
| MISCELLANEOUS | 120 | Legge / Ingersoll Rand | IR / LEGGE 881 Series | Power Transfer Device | ET 0560 | | Approved for Futura Doors |
| MISCELLANEOUS | 120 | Lockwood / Assa Abloy | LW10000HDS5S Heavy duty hinges | Non standard Hinges | ET 0824A | Security fixed pin hinges should be used on exterior doors or doors opening out. | Approved for Futura Doors |
| MISCELLANEOUS | 120 | Lockwood / Assa Abloy | LW10000SD5S5 - 100X100X3mm Severe duty hinges | Non standard Hinges | ET 0825A | | Approved for Futura Doors |
| MISCELLANEOUS | 240 | 3M | Scotchshield Ultra400 /600 | Safety & Security Film | ET 0420 | | Approved for Futura Doors |
| MISCELLANEOUS | 240 | Dorma | Door Stop 2300 SSS | Door Stop | ET 0906C | | Approved for Futura Doors |
| MISCELLANEOUS | 240 | Generic | Stainless Steel House/Room Numbers (come with double sided tape 3M PE foam | Numbers | ET 0922D | | Approved for Futura Doors |
| MISCELLANEOUS | 240 | Guardall | DL400/DL500 | Power Transfer Device | ET 0600 / ET 0603 | | Approved for Futura Doors |
| MISCELLANEOUS | 240 | Lockwood | Door Stop (mounted on door 30mm from latch edge & 120mm above from sill on unexposed side) | Door Stop | ET 0922C | | Approved for Futura Doors |
| MISCELLANEOUS | 240 | Lockwood | PWR Lead Series | Power Transfer Device | ET 0315 | | Approved for Futura Doors |
| Panic Exit Devices | 240 | Briton | 376 / 379 | Panic Exit Device | ET 0123 / EA 0323 | Vertical Panic Exit Device (Used on inactive leaf in double door set) | Approved for Futura Doors |
| Panic Exit Devices | 240 | Dorma | PHA 2000 series | Panic Exit Device | EA 0457 | Surface/Rim mounted Escape Hardware | Approved for Futura Doors |
| Panic Exit Devices | 120 | Lockwood | FE100/FE200/FE300 Various Fluid Series (With or Without Dogging Option) | Panic Exit Device | EA0675 | | Approved for Futura Doors |
| Panic Exit Devices | 240 | Assa Abloy | FE100, FE200 and FE300 Fluid Series with or without Electronic Blocker Function | Panic Exit Device | EA 0690 | | Approved for Futura Doors |
| Panic Exit Devices | Single (120) Double (60) | Briton | 570 Series | Panic Exit Device | ET 0716 | Mid-range panic exit | Approved for Futura Doors |
| Push/Pull Plates & Handles | 240 | Madinoz | Madinoz Pull Handles (Various) | Push / Pull Plates | EA 0695 | Commercial grade 316 Stainless. | Approved for Futura Doors |
| Push/Pull Plates & Handles | 120 | Legge | 300/400/600 Series | Push / Pull Plates | ET 0711E | Allegion Go to Push / Pull Plates | Approved for Futura Doors |
| Push/Pull Plates & Handles | 120 | Legge | 800 Series | Push / Pull Plates | ET 0897 | Commonly specified on Healthcare projects | Approved for Futura Doors |
| Push/Pull Plates & Handles | 120 | Lockwood | 206/207, 208/209, 214/215, 216/217, 218/219. With or Without P1,P2,P3,P4 Handles. With or Without Engravings | Push / Pull Plates | ET 0843E | | Approved for Futura Doors |
| Push/Pull Plates & Handles | 120 | Lockwood | 20824NN/P4 and 20924NN/P4 | Push / Pull Plates | ET 0843B | | Approved for Futura Doors |
| Push/Pull Plates & Handles | 240 | Dorma | 310C Push Plates / 310V Pull Plates & 375C Push Plates / 375C-H Pull Plates | Push / Pull Plates | ET 0763 | Commercial grade 316 Stainless. | Approved for Futura Doors |
| Push/Pull Plates & Handles | 240 | Lockwood | P2/SSS Pull Handle | Push / Pull Plates | EA 0698 | | Approved for Futura Doors |
| Sequence Selectors (Door Coordinators) | 120 | Miles Nelson | MNCD002 | Sequence Selector | FAS220071 | | Approved for Futura Doors |
| Sequence Selectors (Door Coordinators) | 120 | Lockwood | A3000 / 4000 | Sequence selector | ET 0345 | | Approved for Futura Doors |
| Sequence Selectors (Door Coordinators) | 240 | Allegion/ Ives | Ives COR Range | Sequence selector | ET 0347 / ET 0123 | | Approved for Futura Doors |
| Sequence Selectors (Door Coordinators) | 120 | Abloy / Lockwood | FD 481 CO - Double Door concealed Coordinator | Sequence selector | EA 0637 | Medical Applications | Approved for Futura Doors |
| Sequence Selectors (Door Coordinators) | 240 | Allegion / Briton / Legge | 3000/4000 Series | Sequence selector | ET 0898B / ET 0123 | Allegion go to Sequence selector | Approved for Futura Doors |
| Sequence Selectors (Door Coordinators) | 240 | Dorma | 2180, 2230 & 2305 | Sequence Selector | ET 0756E | commercial door selectors, ensuring rebated doors close in the correct sequence | Approved for Futura Doors |